

(ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ)  
ರಾಯಚೂರು ಸೈದು—

(1) ಇರಿಗೇಷನ್	3,255.30 ಲಕ್ಷ
(2) ಹೈಡ್ರೋ ಎಲೆಕ್ಟ್ರಿಕ್	416.33 ಲಕ್ಷ
ಒಟ್ಟು ...	3,671.63 ಲಕ್ಷ
Grand Total ...	6649.84 ಲಕ್ಷ

Sri G. ANNA RAO.—How often were the estimates revised for the construction of the dam during all these years on the Hyderabad side?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಇಲ್ಲಿ ಇರುವ ಇನ್‌ಫರ್ಮೇಷನ್ ಪ್ರಕಾರ ಇದು ಎರಡನೆಯ ಸಾರೆ.

Sri G. ANNA RAO.—May I know the separate outlays on the works taken up by the Department and the works which were let out to the contractors?

Sri H. K. VEERANNA GOWDH.—I want notice.

Sri C. J. MUCKANNAPPA.—What is the extra money spent for the alteration of this design?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಎಷ್ಟೆಷ್ಟು ಮೊಬಲಗು ಆಗಿದೆ ಎಂಬುದು ಈಗ ಇಲ್ಲಿ ಇಲ್ಲ. ಆ ವಿವರವನ್ನು ತರಿಸಬೇಕಾಗುವುದು.

ಶ್ರೀ ಬಿ. ಕೆ. ನಾಗೂರ್.—ಕಾರ್ಯ ನೆರವೇರಿಕೆಯ ಕಾಲಕ್ಕೆ ಅವಶ್ಯವೆಂದು ಕಂಡುಬಂದ ಕಾಮಗಾರಿಯಲ್ಲಿ ಹೆಚ್ಚಿನ ಪರಿಮಾಣಗಳು ಹಾಗೂ ಬಾಬುಗಳು ಎಂದು ಉತ್ತರದಲ್ಲಿ ಹೇಳಿದೆ. ಈ ಕಾಮಗಾರಿಗಳ ಅಂದರೆ ಕೆಲಸ ಮಾಡಿಸುವುದಕ್ಕೆ ಹಣ ಖರ್ಚುಮಾಡಲು ಈ ಸಭೆಯ ಮಂಜೂರಾತಿಯನ್ನು ತೆಗೆದುಕೊಳ್ಳಲಾಗಿದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಪ್ರೊಜೆಕ್ಟಿಗೆ ಒಟ್ಟು ಇಷ್ಟು ಹಣ ಎಂದು ಮಂಜೂರ ಆಗಿದೆ.

ಶ್ರೀ ಬಿ. ಕೆ. ನಾಗೂರ್.—ಮೊದಲನೆಯ ಲಂಡಾಜಿಗಿಂತ ಹೆಚ್ಚು ಹಣ ಖರ್ಚು ಆಗಿದೆ. ಈ ಹೆಚ್ಚು ಹಣ ಖರ್ಚುಮಾಡುವುದಕ್ಕೆ ಸಭೆಯ ಅನುಮತಿ ತೆಗೆದುಕೊಂಡಿದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಅನುಮತಿ ಇಲ್ಲದೆಯೇ ಕೆಲಸವನ್ನಾದರೂ ಮಾಡಲು ಆಗುವುದಿಲ್ಲ.

Dr. R. NAGAN GOWDA.—It is stated in the answer that the entire expenditure is Rs. 66 crores. What is the area irrigated and what is the cost per acre of land provided with water?

Sri H. K. VEERANNA GOWDH.—Those details are not available here. I want notice.

Sri H. M. CHANNABASAPPA.—It is stated in the answer that one of the reasons for the increase in cost is the increase of the irrigable area under foodcrops. What is the increase in the irrigable area due to the revised estimates?

Sri H. K. VEERANNA GOWDH.—For details I want notice.

Sri H. M. CHANNABASAPPA.—Is it due to impounding more water in the Reservoir?

Sri H. K. VEERANNA GOWDH.—When water is available, area can be increased.

Sri H. M. CHANNABASAPPA.—Is the increase in cost due to increase in the capacity of the reservoir?

Sri H. K. VEERANNA GOWDH.—Yes.

Sri H. M. CHANNABASAPPA.—What is the increase in the capacity then?

Sri H. K. VEERANNA GOWDH.—I would like to have notice for that.

ಶ್ರೀಮತಿ ಬನವರಾಜೇಶ್ವರಿ.—ಎಲ್ಲಾ ಕಂಟ್ರಾಕ್ಟರುಗಳೂ ಹೆಚ್ಚಿಗೆ ಸಿಮೆಂಟ್ ಮತ್ತು ಇತರ ಮೆಟೀರಿಯಲ್ಸ್‌ನ್ನು ಬ್ಯಾಕ್ ಮಾಡಿಕೊಂಡಿರುತ್ತಿದ್ದರಿಂದ ಎಸ್ತಿಮೇಟಿಗಿಂತ ಹೆಚ್ಚು ದುಡ್ಡು ಖರ್ಚಾಗಿದೆ ಎನ್ನುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಆ ವಿಷಯ ನನಗೆ ಗೊತ್ತಿಲ್ಲ.

ಶ್ರೀ ಬಿ. ಕೆ. ನಾಗೂರ್.—ಮದನಬಾಡಿ ಮೊರಿಯಲ್ಲಿ ನೀರು ಹೊರಗೆ ಬಾರದೆ ನಿಂತಿದ್ದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ?

Mr. SPEAKER.—That is outside the scope of the question.

Sri G. ANNA RAO.—Is the Government aware that the Public Accounts Committee, Hyderabad, commented that there was delay in works which have given rise to revision of estimates?

Sri H. K. VEERANNA GOWDH.—Personally I am not aware of it. It might be true.

### Supply of Power to the Pump sets in the South Kanara District.

Q.—742. Sri V. SRINIVASA SHETTY (Coondapur).—

Will the Government be pleased to state:—

(a) the number of applications received from South Kanara for the installation of electrical pumps after the assurance given by the Government both orally and through pamphlets that they would be given pumps;

(b) the period since when the applications are pending;

(c) the action they have taken in this regard?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) 125.

(b) Since November 1956.

(c) Estimates have been prepared and sanction communicated wherever it is found economical.

Sri V. SRINIVASA SHETTY.—For how many pumps have estimates been prepared?

\*Sri H. K. VEERANNA GOWDH.—Estimates for arranging power to 47 applications.

Sri V. SRINIVASA SHETTY.—Were estimates prepared?

Sri H. K. VEERANNA GOWDH.—Yes, for 47 applications.

Sri V. SRINIVASA SHETTY.—How many have been sanctioned and sanction communicated?

Sri H. K. VEERANNA GOWDH.—I have said 47 applications have been sanctioned. If you want to have more details about the number of sets, I can give you village-wise.

Sri V. SRINIVASA SHETTY.—How many pumps have been installed till now?

Sri H. K. VEERANNA GOWDH.—I want notice for that.

Sri V. SRINIVASA SHETTY.—Have any pumps been installed?

Sri H. K. VEERANNA GOWDH.—Anyhow, sanction has been accorded for 47 applications.

Sri T. HANUMIAH.—What about my question?

Sri C. J. MUCKANNAPPA.—I submit to the Chair that Sri T. Hanumiah came with me and even till the question hour was over he was not present in the House. The same is the case with Sri Narasimhan. If the Hon'ble Chair were to allow Sri T. Hanumiah to put question, I request the Chair to allow Sri Narasimhan also to put the question.

ಶ್ರೀ ಬಿ. ಹನುಮಯ್ಯ.—ಅವರ ಜೊತೆ ನಾನು ಹೋಗಲೇ ಇಲ್ಲ.

Mr. SPEAKER.—Every Hon'ble Member is expected to tell the truth and since Sri Hanumiah says that he was present and another Hon'ble Member is contradicting him. I have to hold the balance and I hold the balance in favour of Sri Hanumiah and allow him to put the question.

Widening the bund of Varthur Tank.

Q.—835. Sri B. BASAVALINGAPPA (Bangalore South—S. C.).—

Will the Government be pleased to state:—

(a) whether they have taken action to widen the bund of the Varthur tank, Bangalore South Taluk, and to put guard stones along the bund;

(b) the number of yearly casualties on account of the narrow road on the bund?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) Yes.

(b) No casualties are reported for the past three years.

Sri B. BASAVALINGAPPA.—May I know the estimated cost of completing the work?

\*ಶ್ರೀ ಎಚ್.ಕೆ. ವೀರಣ್ಣಗೌಡ.—2,170 ರೂಪಾಯಿ ಗಳಿಗೆ ಹಿಂದೆ ಸ್ಯಾಕ್ಟರ್ಸ್ ಆಗಿತ್ತು. ಆದರೆ ಅದು ಸಾಲಲಿಲ್ಲ. ಸ್ವಲ್ಪ ಭಾಗವನ್ನು ಮಾಡಿದೆ; ಇನ್ನೂ ಮಾಡಬೇಕಾಗಿದೆ. ಎಸ್ಸಿಮೇಟ್ ಇಲ್ಲ.

Sri B. BASAVALINGAPPA.—May I know the length of the bund?

ಶ್ರೀ ಎಚ್.ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಒಂದು ಮೈಲಿ ಅರ್ಧ ಫ಼ಾಂಗ್.

Sri B. BASAVALINGAPPA.—May I know when the Government contemplate to complete the work?

ಶ್ರೀ ಎಚ್.ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಇದರಲ್ಲಿ ಸ್ವಲ್ಪ ತೊಂದರೆ ಏನಾಗಿದೆ ಎಂದರೆ ಎರಡು ಮೂರು ಸಾವಿರ ಪ್ರಯತ್ನ ಪಟ್ಟರೂ ಕಂಟ್ರಾಕ್ಟ್ ನಿಕ್ಕವುದು ಕಷ್ಟ, ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೇ ಮಾಡಿಸಿ ಎಂದು ಹೇಳಿದ್ದೇವೆ. ಇದು ಮುಖ್ಯವಾದ ರಸ್ತೆಯಾಗಿರುವುದರಿಂದ, ಡೊಂಕು ಡೊಂಕು ರಸ್ತೆಯಾಗಿರುವುದರಿಂದ ನಿಧಾನ ಮಾಡುವ ಕಂಟ್ರಾಕ್ಟರು ನಿಕ್ಕದೆ ಇದ್ದರೆ ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರೇ ಮಾಡಬೇಕು ಎಂದು ತೀರ್ಮಾನ ಮಾಡಿದ್ದೇವೆ. ಈ ರೀತಿ ಸ್ವಲ್ಪದ ಅಧಿ ಕಾರಿಗಳಿಗೆ ಹೇಳಲಾಗಿದೆ.

Names of Roads entrusted to District Board Administration.

Q.—180. Sri B. S. SHANKARAPPA (Hosadurga).—

Will the Government be pleased to state:—

(a) the names of roads handed over to the District Board at the time